Appendix 3-D Tank Seam Access Road Vegetation

Introduction

The following pages are a copy of a report prepared by Patrick Collins, Ph.D., Biologist/Reclamation Specialist, of Mt. Nebo Scientific. The report presents an evaluation of the pre-disturbed vegetation in the area of the Tank Seam Access Road and pad and a comparison of the data to data collected for the selected reference area. The vegetation survey was performed in October, 1992, and the reference area was sampled in July, 1993.

VEGETATION SAMPLING OF PROPOSED DISTURBED TANK SEAM ACCESS ROAD

Prepared by

MT. NEBO SCIENTIFIC RESEARCH & CONSULTING
330 East 400 South, Suite 6
P.O. Box 337
Springville, Utah 84663
(801) 489-6937

for

CO-OP MINING COMPANY
P.O. Box 1245
Huntington, Utah 84528

Report: Patrick Collins, Ph.D.

Fieldwork: Patrick Collins
Dean Collins

Report Date: March 1993 Fieldwork Date: October 1992

TABLE OF CONTENTS

SCOPE	· .	• •	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
INTRO	DUCT	ION	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
	Gene	ral	Si	te	De	esc	cr:	ipt	ti	on	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
метно																										2
	Trans	sect	. P	lac	cer	ner	nt	•		•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	2
	Cove	r ar	nd -	Coi	npo	si	it:	ioı	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2
	Woody	S	ec	ies	s [)er	ns:	ity	7	•	•	•		•	•	•	•	•	•		•	•	•	•	•	3
	Samp																									3
	Photo																									
•	Raw I	Data	١.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	4
RESUL	TS .			•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	4
COLOR	PHO!	rogf	RAP:	HS	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•		10
A DDEW	INTV.	DAG	ח ז	አጥን	n.																					12

VEGETATION SAMPLING OF THE PROPOSED DISTURBED TANK SEAM ACCESS ROAD

SCOPE

The purpose of this document is to provide baseline information of the existing vegetation of an area that is proposed for new disturbance.

INTRODUCTION

General Site Description

The CO-OP Mining Company has proposed to construct an access road in their permit area which will require disturbance to the native plant community. The proposed disturbance lies within Bear Canyon. Bear Canyon, a branch of Huntington Canyon, is located west of the city of Huntington in Emery County, Utah. Slopes that surround the canyon are primarily dominated by pinyon-juniper and mountain brush communities. In their native, undisturbed state, the canyon bottoms are comprised chiefly of

sagebrush/grass and riparian communities.

Bear Canyon maintains active mine facilities. Several areas have been disturbed as a result of the mine activities and some of these areas have been reclaimed and reseeded.

METHODS

Quantitative and qualitative data were taken on the sample sites. Sampling was accomplished in October 1992, before appreciable frost that could affect the results.

Transect Placement

The corridor of the proposed disturbed access road had been previously surveyed and flagged. Regular points at 50 ft intervals were located along the entire length of the proposed road. Sampling quadrats were placed at these points.

Cover and Composition

Cover estimates were made using ocular methods with meter square quadrats. Species composition and relative frequencies were also assessed from the quadrats. Additional information recorded on data sheets were: estimated precipitation, erosion,

slope, exposure, grazing use, animal disturbance and other appropriate notes.

Woody Species Density

Density of woody plant species were recorded using the point quarter distance method and by using belt transects. In the point quarter method, the aforementioned regular points were placed on the sample sites and delineated into four quarters. The distances to the nearest woody plant species were then recorded in each quarter. The average point-to-individual distance was equal to the square root of the mean area per individual.

Sample Adequacy

₹

Sampling adequacy for woody species density and cover was achieved using formulas from "Statistical Methods" (Snedocor and Cochran 1980), with the goal that at least 80% of the samples were within 10% of the true mean for the plant communities of the area. The formula used is given below.

$$nmin = \left[\frac{1.28 \text{ (s)}}{x \text{ (.1)}}\right]^2$$

where.

nmin = minimum adequate sample

s = standard deviation

x = sample mean

.1 = confidence interval

Photographs

Color photographs of the sample area were taken at the time of sampling and were submitted with this report.

Raw Data

The raw data were also submitted with this report which would facilitate future scrutiny of the data and further statistical testing if desired.

RESULTS

Rock was the major contingent for the ground cover and was estimated at 56.00%. Total living cover of the site was estimated at 19.50% (Table 2). Grasses dominated the cover and comprised of almost 75% of the living cover (Table 2). The dominate grass species was Salina wildrye (Elymus salinus) and was estimated at 10.58% cover. Mountain mahogany (Cercocarpus ledifolius) was the most common woody species followed by pinyon pine (Pinus edulis) and Utah Juniper (Juniperus osteosperma). For a list of cover by species, refer to Table 3.

Woody species density was estimated at 394 individuals per

acre (Table 4) by the point quarter method. Again, the most abundant species was mountain mahogany followed closely by pinyon pine.

TABLE 1:

CO-OP MINE AREA QUALITATIVE SAMPLING DATA SHEET AND QUANTITATIVE/QUALITATIVE NOTES 1992

SITE NAME: Reclaimed Pads

AREA: TRAIL CANYON

DATE: 10 October 1992

WORKERS: P. Collins, D. Collins

SLOPE: Approx. 30 deg.

EXPOSURE: N, E, S (predominately E)

ANIMAL USE/DISTURBANCE: Moderate deer use

EROSION: Slight

COVER: (see quantitative data)

DOMINANT PLANT SPECIES OBSERVED: (see quantitative data)

NOTES:

1) (see report)

TABLE 2: Total cover and composition summary for the Proposed Disturbed Tank Seam Access Road at the CO-OP Mine.

TOTAL COVER	% MEAN COVER	STANDAR DEVIATI		SAMPLE SIZE
Living Cover	19.50 12.13	6.87 13.95		40 40
Litter Bareground	12.38	9.86		40
Rock	56.00	19.18		40
COMPOSITION				
Shrubs	25.46	37.45		40
Forbs	0.00 74.54	0.00 37.45		40 40
Grasses	74.54	37.43		70

TABLE 3: Species cover and frequency summary for the Proposed Disturbed Tank Seam Access Road at the CO-OP Mine.


SPECIES	% MEAN	STANDARD	SAMPLE REL	ATIVE
	COVER	DEVIATION	SIZE FREQ	UENCY
TREES & SHRUBS				
Ceratoides lanata	2.13	5.11	40	20.00
Juniperus osteosperma	0.63	3.90	40	2.25
Pinus edulis	2.00	5.45	40	12.50
FORBS				
GRASSES				
Elymus cinereus	13.88	10.58	40	80.00
Stipa hymenoides		3.52	40	7.50

<u>TABLE 4</u>: Woody species densities of the Proposed Disturbed Tank Seam Access Road at the CO-OP Mine.

		NUMBER/ACRE
Cercocarpus ledifolius		177.08
Chrysothamnus nauseosus		14.76
Juniperus osteosperma		56.57
Pinus edulis		142.65
Pseudotsuga menziesii		2.46
		·
Tananan menanggalan sebagai se	COTAL	393.51

COLOR PHOTOGRAPHS

SAMPLE AREAS FOR THE PROPOSED DISTURBED TANK SEAM ACCESS ROAD (OCT. 1992)



APPENDIX: RAW DATA

SITE: Tank Seam Access Road

(Proposed Disturbed)

AREA: CO-OP MINE - BEAR CANYON

SLOPE: 34 deg

EXPOSURE: N.E.S. Predominantly E

WORKERS: R & P Collins

DATE: 10 Det 1992

	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00
SHRUBS Pinus edulis Cercocarpus lectifolius Juniperus ostersperma	0.00	20.00	0.00	0.00	0.00	0.00	0.00	0.00	20.00	0.00
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	0.00	0.00
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

FORBS

GRASSES Elymus salinus Stipa hymenoides	20.00	5.00 0.00	25.00 0.00	20.00	0.00 10.00	35.00 0.00	25.00 0.00	10.00	5.00 0.00	20.00
										1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

20.00	25.00	25.00	20.00	10.00	35.00	25.00	15.00	25.00	20.00
5.00	5.00	50.00	10.00	5.00	40.00	5.00	5.00	25.00	5.00
15.00	10.00	10.00	35.00	20.00	15.00	5.00	5.00	20.00	50.0 0
60.00	60.00	15.00	35.00	65.00	10.00	65.00	75.00	30.00	25.00
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
0.00	80.00	0.00	0.00	0.00	0.00	0.00	33.33	80.00	0.00
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	20.00	100.00	100.00	100.00	100.00	100.00	66. 67	20.00	100.00
	5. 00 15. 00 60. 00 0. 00 0. 00	5.00 5.00 15.00 10.00 60.00 60.00 0.00 80.00 0.00 0.00	5.00 5.00 50.00 15.00 10.00 10.00 60.00 60.00 15.00 0.00 80.00 0.00 0.00 0.00 0.00	5.00 5.00 50.00 10.00 15.00 10.00 10.00 35.00 60.00 60.00 15.00 35.00 0.00 80.00 0.00 0.00 0.00 0.00 0.00	5.00 5.00 50.00 10.00 5.00 15.00 10.00 10.00 35.00 20.00 60.00 60.00 15.00 35.00 65.00 0.00 80.00 0.00 0.00 0.00 0.00 0.00	5.00 5.00 50.00 10.00 5.00 40.00 15.00 10.00 10.00 35.00 20.00 15.00 60.00 60.00 15.00 35.00 65.00 10.00 0.00 80.00 0.00 0.00 0.00 0.00 0.00 0.00	5.00 5.00 50.00 10.00 5.00 40.00 5.00 15.00 10.00 10.00 35.00 20.00 15.00 5.00 60.00 60.00 15.00 35.00 65.00 10.00 65.00 0.00 80.00 0.00 0.00 0.00 0.00 0.00 0.0	5.00 5.00 50.00 10.00 5.00 40.00 5.00 5.00 15.00 10.00 10.00 35.00 20.00 15.00 5.00 5.00 60.00 60.00 15.00 35.00 65.00 10.00 65.00 75.00	5.00 5.00 50.00 10.00 5.00 40.00 5.00 5.00 25.00 15.00 10.00 10.00 35.00 20.00 15.00 5.00 5.00 20.00 60.00 60.00 15.00 35.00 65.00 10.00 65.00 75.00 30.00 0.00 80.00 0.00 0.00 0.00 0.00 0.00

	11.00	12.00	13.00	14.00	15.00	15.00	17.00	18.00	19.00	20.00	21.00	22.00	23.00
	0.00 0.00 0.00	0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 5.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 15.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 10.00 0.00	0.00 5.00 0.00
			- 1										
		•											
										•			
											65 66	40.00	
	10.00 0.00	10.00 0.00	25.00 0.00	0.00 20.00	5.00 0.00	35.00 0.00	25.00 0.00	5.00 0.00	10.00 0.00	20.00 0.00	25.00 0.00	10.00 0.00	0.00 5.00
•													
	•												
_	10.00	10.00	25.00	20.00	10.00	35.00	25.00	20.00	10.00	20.00	25.00	20.00	10.00
	10.00 5.00	10.00 5.00	65.00	5.00	5.00	5.00	10.00	10.00	5.00	5.00	5.00	5.00	5.00
	10.00	15.00	5.00	5.00	10.00	10.00	10.00	10.00	25.00	5.00	5.00	5.00	5.00
	75.00	70.00	5.00	70.00	75.00	50.00	55.00	60.00	60.00	70.00	65.00	70.00	80.00
-	0.00	0.00	0.00	0.00	50.00	0.00	0.00	75.00	0.00	0.00	0.00	50.00	50.00
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	100.00	100.00	100.00	100.00	50.00	100.00	100.00	25.00	100.00	100.00	100.00	50.00	50.00

	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00
	0.00 0.00 0.00	0.00 , 0.00 25.00	0.00 0.00 0.00	0.00 0.00 0.00	10.00 0.00 0.00	0.00 5.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00	15.00 0.00 0.00
				•							e e e e e e e e e e e e e e e e e e e		
		the grant of						*					
									40.00	0F 66	20.00	20.00	0.00
	25.00 0.00	0.00 0.00	30.00 0.00	20.00	10.00 0.00	5.00 0.00	10.00 0.00	10.00 0.00	10.00 0.00	25.00 0.00	20.00 0.00	20.00 0.00	0.00 0.00
	25.00	25.00	30.00	20.00	20.00	10.00	10.00	10.00	10.00	25.00	20.00	20.00	15.00 5.00
	10.00	10.00	5.00	5.00	45.00	3.00	10.00 25.00	2.00 3.00	25.00 20.00	5.00 10.00	10.00 5.00	20.00 20.00	30.00
	5.00 60.00	5.00 60.00	20.00 45.00	5.00 70.00	5.0 0 30.00	2.00 85.00	55.00	85.00	45.00	60.00	65.00	40.00	50.00
-													
	0.00	100.00	0.00	0.00	50.00	50.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	100.00	0.00	100.00	100.00	50.00	50.00	100.00	100.00	100.00	100.00	100.00	100.00	0.00

SITE: Tank Seam Access Road

AREA: CO-OP MINE - BEAR CANYON

SLOPE: 34 deg

EXPOSURE: N.E.S. Predominantly E

WORKERS: R & P Collins DATE: 10 Det 1992

37.00	38.00	39.00	40.00	Mean	StDev	Freq	
 							SHRUBS
0.00	0.00	15.00	0.00	2.00	5. 45	12,50	Pinus edulis
0.00	20.00	0.00	20.00	2.13	5.11	20.00	Cercocarpus ledifoliums
0.00	0.00	0.00	0.00	0.63	3.90	2.25	Juniperus ostersp erma

FORBS

GRASSES

Elymus salinus

80.00

10.58

0.00	0.00	0.00	0.00	0.88	3.52	750	Stipa hymenoides
•							
25.00	20.00	15.00	20.00	19.50	6.87		Total Living Cover
10.00	5.00	15.00	10.00	12.13	13.95		Litter
10.00	5.00	10.00	10.00	12.38	9.86		Bareground
55.00	70.00	60.00	60.00	56.00	19.18		Rock
							* COMPOSITION
0.00	100.00	100.00	100.00	25.46	37.45		Shrubs
0.00	0.00	0.00	0.00	0.00	0.00		Forbs
100.00	0.00	0.00	0.00	74.54	37.45		Grass e s

13.88

0.00

0.00

7

25.00

0.00